



10130KA/G/W



Dimensions



Gallery



Physical Specification

Item Group	06 Downlights Fixed LED
Family	The COB Project Round Range Dimmable
Order Code	10130KA/G/W
Colour	Grey
Material	Die Cast
Shape	Circular
Height	180mm

Diameter	242mm
Cutout Hole Diameter	210mm
Recessed Ceiling	Yes
Depth Required	210mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	36V
Safety Class	
Power(Watts)	25,2W
IP Rating	IP53
Light Source	LED built in
LED Brand	GH

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

24,5-29,4W

Power Factor

0,9

Constant Current

Yes

700mA

35-42V

IP Rating

IP20

Safety Class



Dimmable

No

Ambient Temp

40°C

Operating Temp

80°C

Housing Material

Plastic

Output Terminal

Cable

Illumination Data

Colour Temperature

3000K

Lumen Output

2000lm

Light Efficiency

66,67lm/W

CRI

80

Beam Angle

100°

Illumination Diagram



Packing Info

Box Length


25cm

Box Width

25cm

Box Height	20cm
Box Weight	1,83kg
Pcs/Carton	12
Barcode	5291889033523
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes