

06 Downlights Fixed LED>Dark Light Downlights

10150T/W/C



38W/50W Trimless Dark Light Range COB LED downlight, IP20

Requires 1050mA/1400mA LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89040



89048

Related items



89048T



89050L



89050TLD

Physical Specification

Item Group

06 Downlights Fixed LED



| |
|----------------------------|
| Family |
| Order Code |
| Colour |
| Material |
| Shape |
| Height |
| Diameter |
| Cutout Hole Diameter |
| Recessed trimmless ceiling |
| Depth Required |
| Indoor |
| Adjustable |

| |
|-----------------------|
| Dark Light Downlights |
| 10150T/W/C |
| White |
| Die Cast |
| Circular |
| 145mm |
| 155mm |
| 170mm |
| Yes |
| 160mm |
| Yes |
| No |

Electrical Characteristics

Fitting


| |
|---------------|
| Input Type |
| Input Current |
| Voltage |
| Safety Class |
| Power(Watts) |
| IP Rating |
| Light Source |
| LED Type |
| LED Brand |
| Cable Length |
| F Mark |

| |
|---|
| Constant Current |
| 1050mA/1400mA |
| 36V |
|  |
| 38W/50W |
| IP20 |
| LED built in |
| COB |
| Luminus |
| 50cm |
|  |

Illumination Data

| |
|--------------------|
| Colour Temperature |
|--------------------|


| |
|-------|
| 4000K |
|-------|

| | |
|----------------------|---|
| Lumen Output | 2700lm/3750lm |
| Light Efficiency | 75lm/W |
| CRI | 90 |
| Beam Angle | 24° |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|---------------|
| Box Length | 23cm |
| Box Width | 17,5cm |
| Box Height | 16cm |
| Box Weight | 1,3Kg |
| Pcs/Carton | 6 |
| Barcode | 5291889047834 |
| HS Code | 9405409900 |

Energy Label



| | |
|------------------|-------------|
| Warranty | 3 Years |
| Average Lifetime | 50000 hours |
| Weee Directive | Yes |