

06 Downlights Fixed LED>Dark Light Downlights

10150T/W/W



38W/50W Trimless Dark Light Range COB LED downlight, IP20

Requires 1050mA/1400mA LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89040



89048

Related items



89048T



89050L



89050TLD

Physical Specification

Item Group

06 Downlights Fixed LED

Family
Order Code
Colour
Material
Shape
Height
Diameter
Cutout Hole Diameter
Recessed trimmless ceiling
Depth Required
Indoor
Adjustable

Dark Light Downlights
10150T/W/W
White
Die Cast
Circular
145mm
155mm
170mm
Yes
160mm
Yes
No

Electrical Characteristics

Fitting

Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
Cable Length
F Mark

Constant Current
1050mA/1400mA
36V

38W/50W
IP20
LED built in
COB
Luminus
50cm


Illumination Data

Colour Temperature


3000K

Lumen Output	2500lm/3500lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	24°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	23cm
Box Width	17,5cm
Box Height	16cm
Box Weight	1,3Kg
Pcs/Carton	6
Barcode	5291889047841
HS Code	9405409900

Energy Label



Warranty	3 Years
Average Lifetime	50000 hours
Weee Directive	Yes