

# 04 Recessed Spots Adjustable LED>The 3xLED Round Spots Aluminium

# 11103L/W/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.




#### Downloads







#### Dimensions



#### Gallery





### Must be ordered separately





89004

89004T

# Physical Specification Item Group 04 Recessed Spots Adjustable LED The 3xLED Round Spots Aluminium Family Order Code 11103L/W/15 Aluminium Colour Material Natural Aluminium Circular Shape Height 40mm Diameter 80mm **Cutout Hole Diameter** 70mm Recessed Ceiling Yes Depth Required 50mm Indoor Yes Adjustable 1 Direction **Electrical Characteristics**

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	<u> </u>
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	F


### Illumination Data

Colour Temperature 3000K

Lumen Output	135lm
Light Efficiency	45lm/W
Beam Angle	15°
Illumination Diagram	

# Packing Info Pcs/Carton 100 Barcode 5291889020264 HS Code 9405409900

## Energy Label



# Certification & Warranty Warranty 2 Years Weee Directive Yes