

04 Recessed Spots Adjustable LED>Moving Inner Cylinder Range

11103M/W/W



3W LED Recessed Moving Inner Cylinder Range adjustable LED Spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.

















Downloads










Dimensions



Gallery



Must be ordered separately



89004

Physical Specification Item Group 04 Recessed Spots Adjustable LED Family Moving Inner Cylinder Range 11103M/W/W Order Code White Colour Material Aluminium Circular Shape **Cutout Hole Diameter** 44mm Recessed Ceiling Yes Depth Required 35mm Indoor Yes Adjustable 2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Citizen
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data


Colour Temperature

3000K

Lumen Output	280lm
Light Efficiency	93,33lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	6,5cm
Box Width	6,5cm
Box Height	6,5cm
Box Weight	0,085Kg
Pcs/Carton	100
Barcode	5291889055242
HS Code	9405409900

Energy Label



Warranty	3 Years
Weee Directive	Yes

Certification & Warranty