

# 04 Recessed Spots Adjustable LED>The IP44 & IP54 COB

# 11103P/W/W

Outdoor/Bathroom Range Aluminium



3W LED Recessed adjustable spot, ideal for bathroom installation, IP44.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads









### Dimensions



### Gallery



### Must be ordered separately





89004

89004T

O DOO

### Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP44 & IP54 COB Outdoor/Bathroom Range Aluminium
Order Code	11103P/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	35mm
Diameter	55mm
Cutout Hole Diameter	47mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	1 Direction

### **Electrical Characteristics**


Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP44
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	F

# Colour Temperature Lumen Output Light Efficiency ROI Beam Angle Illumination Diagram 3000K 240Im 80Im/W 80 80 36°

# Packing Info Box Length 9cm Box Width 6cm Box Height 5,5cm Box Weight 0,095Kg Pcs/Carton 100 Barcode 5291889051060 HS Code 9405409900

## Energy Label

Illumination Data



Warranty	3 Years
Weee Directive	Yes

Certification & Warranty