

03 Recessed Spots Adjustable>The Lock Ring Range Die cast

11105C/W



Recessed adjustable MR16 spot with GU5.3 lampholder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                      |                              |
|----------------------|------------------------------|
| Item Group           | 03 Recessed Spots Adjustable |
| Family               | The Lock Ring Range Die cast |
| Order Code           | 11105C/W                     |
| Colour               | White                        |
| Material             | Die Cast                     |
| Shape                | Circular                     |
| Height               | 30mm                         |
| Diameter             | 94mm                         |
| Cutout Hole Diameter | 82mm                         |
| Recessed Ceiling     | Yes                          |
| Depth Required       | 60mm                         |
| Indoor               | Yes                          |

Adjustable

1 Direction

## Electrical Characteristics

### Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

50W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU5.3

Number of Lamps

1

Cable Length

40cm

## Illumination Data

Illumination Diagram



## Packing Info

Box Length

10cm

Box Width

10cm

Box Height

5cm

Box Weight

0,113kg

Pcs/Carton

100

Barcode

5291889003175

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes