

04 Recessed Spots Adjustable LED>The Reflector Spots

11106K/W



6W LED adjustable recessed spot, with built-in 100-240V LED driver, made of plastic, with 3 plastic rings, white, black and grey colour.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery





Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Reflector Spots
Order Code	11106K/W
Material	Plastic
Shape	Circular
Height	59,5mm
Diameter	86mm

Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction
Electrical Characteristics	
Coor	Built In
Gear	Dulit III
Fitting + Driver	
	100.2401/
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No No
F Mark	F
Fitting	
Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Brand	Nichia ————————————————————————————————————
LED Number	1
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	6W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable
Illumination Data	
Colour Temperature	3000K
Lumen Output	345lm
Light Efficiency	57,5lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	
Packing Info	
Box Length	10cm
Box Width	10cm
Box Height	8,5cm
Box Weight	0,150Kg
Pcs/Carton	48
Barcode	5291889035015
HS Code	9405104090

Warranty	2 Years
Weee Directive	Yes

Certification & Warranty