

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range Die cast

11107WD/W/W



7W LED Dark Light Recessed adjustable spot, IP54.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

## Related items



89015AT

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range Die cast
Order Code	11107WD/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	83mm
Diameter	90mm
Cutout Hole Diameter	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	7W
IP Rating	IP54
Light Source	LED built in

LED Type
LED Brand
LED Number
Cable Length
F Mark

COB
Bridgelux
1
40cm


#### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
600lm
85,7lm/W
90
36°

Yes

#### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

10,5cm
9,5cm
9,5cm
0,310Kg
36
5291889050698
9405409900

Warranty

---

3 Years

---

Weee Directive

---

Yes

---