



04 Recessed Spots Adjustable LED>The COB Cylinders

11112RA/B/W



12W COB LED recessed adjustable spot, black with brass reflector for general lighting applications.

Requires 350mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015

Related items



89011D



89015T

Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family
Order Code
Colour
Material
Shape
Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Adjustable

The COB Cylinders
11112RA/B/W
Black
Aluminium
Circular
155mm
65
55mm
Yes
50mm
Yes
2 Directions

Electrical Characteristics

Fitting

Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
Cable Length
F Mark

Constant Current
350mA
34,4V

12W
IP20
LED built in
COB
Citizen
1
40cm


Illumination Data

Colour Temperature	3000K
Lumen Output	1020lm
Light Efficiency	85lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	20,5cm
Box Width	6,5cm
Box Height	6,5cm
Pcs/Carton	20
Barcode	5291889058281
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes