

04 Recessed Spots Adjustable LED>The 12W COB Dark Light

11112TA/W/W



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

## Related items



89015AT

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 12W COB Dark Light
Order Code	11112TA/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	104mm
Cutout Hole Diameter	92mm
Recessed Ceiling	Yes
Depth Required	115mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting


Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand
LED Number
Cable Length
F Mark

Bridgelux
1
40cm


#### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
1100lm
91,67lm/W
90
40°

Yes

#### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

11,5cm
11,5cm
12,5cm
0,322Kg
50
5291889043997
9405409900

#### Certification & Warranty

Warranty

---

5 Years

---

Weee Directive

---

Yes

---