

08 Downlights Adjustable LED>The COB Semi Trimless Range

11112TR/W/W



12W COB LED Recessed Adjustable downlight, semi trimless, IP20.

Complete 300mA driver.

Complies with standard EN60598-1 and any other specific standards
























Dimensions







85mm

Gallery





Physical Specification

Item Group Family Order Code Colour Material Shape Height

08 Downlights Adjustable LED

The COB Semi Trimless Range

11112TR/W/W

White

Aluminium

Circular

115mm


Diameter	115mm
Cutout Hole Diameter	110mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	External-Included
Fitting + Driver	
Fitting + Driver Input Voltage	100-240V
	100-240V Yes
Input Voltage	
Input Voltage 50 Hz	Yes
Input Voltage 50 Hz 60 Hz	Yes
Input Voltage 50 Hz 60 Hz Safety Class	Yes Yes

60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	38V
Safety Class	<u></u>
Power(Watts)	11,4W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
LED Number	1

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,2-12W
Power Factor	0,9
Constant Current	Yes
300mA	24-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	0
Protection	0
Illumination Data	
Colour Temperature	3000K
Lumen Output	890lm
Light Efficiency	74,16lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Development.	40
Box Length	13cm

Box Width	13cm
Box Height	13cm
Box Weight	0,480Kg
Pcs/Carton	20
Barcode	5291889034650
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty 2 Years