

04 Recessed Spots Adjustable LED > Extractable 12W Range

11113E/W/W



12W LED Recessed extractable adjustable spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015

Related items



89015T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Extractable 12W Range
Order Code	11113E/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	93mm
Diameter	90mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand
LED Number
Cable Length
F Mark

Citizen
1
40cm


### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
1100lm
91,67lm/W
90
36°


### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

9,5cm
9,5cm
11cm
0,28Kg
36
5291889055587
9405409900

### Energy Label



Warranty

---

3 Years

---

Weee Directive

---

Yes

---