

08 Downlights Adjustable LED>Dark Mirror Reflector Range

11120E/B/W



20W COB LED adjustable recessed Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	08 Downlights Adjustable LED
Family	Dark Mirror Reflector Range
Order Code	11120E/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	72mm
Diameter	160mm
Cutout Hole Diameter	140mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes

Adjustable

1 Direction

## Electrical Characteristics

Gear

External-Included

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

20W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

36,9V

Safety Class



Power(Watts)

18,45W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Cree

F Mark




Gear

Gear Type


Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-20W
Power Factor	0,9
Constant Current	Yes
500mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1700lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Pcs/Carton	20
Barcode	5291889064220
HS Code	9405409900

#### Energy Label



## Certification & Warranty

Warranty

3 Years

Weee Directive

Yes