

08 Downlights Adjustable LED>The COB Recessed Range Die cast

11130B/W/C



30W Recessed COB LED downlight, IP20. Ideal for shops.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions



Physical Specification

Item Group	08 Downlights Adjustable LED
Family	The COB Recessed Range Die cast
Order Code	11130B/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	220mm
Cutout Hole Diameter	100mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Adjustable	2 Directions

Gear		External-Included	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		30W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			
Fitting			
Input Type		Constant Current	
Input Current		700mA	
Voltage		40V	
Safety Class			
Power(Watts)		28W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Cree	
Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		18,9-30W	

Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

0,9
Yes
27-42V
IP20

No
Plastic
Philips

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


4000K
2300lm
76,67lm/W
80
36°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

34cm
19cm
15cm
1,9kg
9
5291889047650
9405409900

Energy Label



Certification & Warranty

Warranty

3 Years

Weee Directive

Yes