

04 Recessed Spots Adjustable LED>The 3xLED Round Spots Aluminium

11303L/AL/D/35



3x3W LED adjustable recessed spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately





89015A

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 3xLED Round Spots Aluminium
Order Code	11303L/AL/D/35
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	80mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

Illumination Data


Colour Temperature	6000K
--------------------	-------

Lumen Output	360lm
Light Efficiency	40lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info

Pcs/Carton	30
Barcode	5291889027577
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes