

14 Wall & Ceiling LED>The COB Indoor Square Cylinders

12106CA/W/W



6W COB LED cylinder, with a modern design, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Physical Specification

14 Wall & Ceiling LED
The COB Indoor Square Cylinders
12106CA/W/W
White
Aluminium
Rectangular
90mm


Height	94mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	1 Direction
Electrical Characteristics	
Coor	Duille la
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	8V
Power(Watts)	5,6W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Gear	

90mm

Width

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3.8-7.7W
Power Factor	0,5
Constant Current	Yes
700mA	5.5-11V
IP Rating	IP20
Safety Class	
Brand	Kegu
lumination Data	
Colour Temperature	3000K
Lumen Output	480lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
acking Info	
Box Length	10cm
Box Width	10cm
Box Height	11,5cm
Box Weight	0,5Kg
Pcs/Carton	10
Barcode	5291889045878
HS Code	9405409900

Energy Label



Weee Directive

Certification & Warranty	
Warranty	2 Years

Yes