

14 Wall & Ceiling LED>The SMD Cylinders Aluminium

12107LD/W/W



7W SMD LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The SMD Cylinders Aluminium
Order Code	12107LD/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	95mm
Diameter	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

7W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

150mA

Voltage

42V

Power(Watts)

6,3W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Samsung

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


4-6,3W

Power Factor

0,9

Constant Current	Yes
150mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic


## Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	85,71lm/W
CRI	80
Beam Angle	90°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Pcs/Carton	48
Barcode	5291889060956
HS Code	9405409900

## Energy Label



Warranty

---

2 Years

---

Weee Directive

---

Yes

---