

14 Wall & Ceiling LED>LED Fashion Cylinders

12108C/W/W



8W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	LED Fashion Cylinders
Order Code	12108C/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	70mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

8W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

8V

Power(Watts)

5,6W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

1,9-6,72W

Power Factor

0,5

Constant Current
700mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

Yes
2,7-9,6V
IP20

No
Plastic
Kegu

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
520lm
65lm/W
90
38°


Packing Info

Box Length
Box Width
Box Height
Pcs/Carton
Barcode
HS Code

7,5cm
7,5cm
7,5cm
50
5291889059363
9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes