

New 2021 Edition 3>Wall & Ceiling LED

12108DB/W/W



8W COB LED Cylinder with SMD backlit LED with exchangeable reflectors.


Reflector must be order separately. Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads				
ŝ	IES	$^{\circ}$	CE	

Dimensions



Must be ordered separately



050206/B



050206/BS



050206/W

Physical Specification

Item Group

New 2021 Edition 3

Family	Wall & Ceiling LED
Order Code	12108DB/W/W
Colour	White
Material	Aluminium
Shape	Circular

Height	80mm
Diameter	70mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	8,75V
Power(Watts)	6,125W

IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Bridgelux
Gear	

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,5-6,3W
Power Factor	0,9
Constant Current	Yes
700mA	5-9V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	KEGU


Illumination Data

Colour Temperature	3000K
Lumen Output	320lm + 100lm
Light Efficiency	52,5lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Width	7,5cm
Box Height	9cm
Pcs/Carton	50
Barcode	5291889070771
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes