

14 Wall & Ceiling LED>Adjustable COB Cylinders

12108XA/W/W



Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Adjustable COB Cylinders
Order Code	12108XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	80mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

8W

IP Rating

IP20

Light Source

LED built in

Dimmable

Yes

Dimmer type

Triac

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

20V

Safety Class



Power(Watts)

7W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Citizen

Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)	4,2-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	AIDimming


Illumination Data

Colour Temperature	3000K
Lumen Output	640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Pcs/Carton	36
Barcode	5291889064718
HS Code	9405409900

Energy Label



Warranty

3 Years

Weee Directive

Yes
