

14 Wall & Ceiling LED>Adjustable COB Cylinders

12108X/W/W



Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Adjustable COB Cylinders
Order Code	12108X/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	100mm
Diameter	80mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		8W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		Yes	
Dimmer type		Triac	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		350mA	
Voltage		20V	
Safety Class			
Power(Watts)		7W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Citizen	

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	

Power(Watts)	4,2-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	AIDimming


Illumination Data

Colour Temperature	3000K
Lumen Output	640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Pcs/Carton	36
Barcode	5291889064701
HS Code	9405409900

Energy Label



Warranty

3 Years

Weee Directive

Yes
