

## 14 Wall & Ceiling LED>The COB Adjustable Decorative Spot

# 12112LA/W/W



12W COB LED adjustable ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### Dimensions



### Gallery




#### **Physical Specification**

Item Group	14 Wall & Ceiling LED
Family	The COB Adjustable Decorative Spot
Order Code	12112LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	125mm

Diameter	85mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
Gear	Built In
Fitting . Deliver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	38V
Power(Watts)	11,4W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	11.4-12,6W
Power Factor	0,9
Constant Current	Yes
300mA	38-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise
Illumination Data	
Colour Temperature	3000K
Lumen Output	740lm
Light Efficiency	61,67lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	
Packing Info	
Box Length	13cm
Box Width	13cm
Box Height	13,5cm
Box Weight	0,9Kg
Pcs/Carton	20
Barcode	5291889036357
HS Code	9405409900

## Energy Label



Certification	& W	/arrantv

Warranty	2 Years
Weee Directive	Yes