


14 Wall & Ceiling LED>LED Decorative Cylinders

12115D/B/W



15W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	LED Decorative Cylinders
Order Code	12115D/B/W
Colour	Black
Material	Aluminium + Plastic
Shape	Circular
Height	72mm
Diameter	155mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Input Current Voltage	350mA 40V
Voltage	40V
Voltage Power(Watts)	40V 14W
Voltage Power(Watts) IP Rating	40V 14W IP20
Voltage Power(Watts) IP Rating Light Source	40V 14W IP20 LED built in
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand	40V 14W IP20 LED built in COB
Voltage Power(Watts) IP Rating Light Source LED Type	40V 14W IP20 LED built in COB
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand	40V 14W IP20 LED built in COB
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand Gear	40V 14W IP20 LED built in COB Sanan
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear Type	40V 14W IP20 LED built in COB Sanan
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear Type Input Voltage	40V 14W IP20 LED built in COB Sanan Led Driver 220-240V
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear John Source Joh	40V 14W IP20 LED built in COB Sanan Led Driver 220-240V Yes

Constant Current	Yes
350mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Kegu
Illumination Data	
Colour Temperature	3000K
Lumen Output	1200lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Packing Info	
Box Length	8cm
Box Width	8cm
Box Height	16cm
Pcs/Carton	24
Barcode	5291889058748
HS Code	9405409900



Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes