

14 Wall & Ceiling LED>The SMD Cylinders Aluminium

12115LD/W/W



15W SMD LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The SMD Cylinders Aluminium
Order Code	12115LD/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	125mm
Diameter	150mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

15W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

42V

Power(Watts)

14,7W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Samsung

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

9,5-14,7W

Power Factor

0,9


Constant Current
350mA
IP Rating
Safety Class
Dimmable
Housing Material

Yes
27-42V
IP20

No
Plastic

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light


3000K
1280lm
85,33lm/W
80
90°

Yes

Packing Info

Pcs/Carton
Barcode
HS Code

18
5291889060994
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes
