

14 Wall & Ceiling LED>LED Fashion Cylinders

12122C/B/W



22W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	LED Fashion Cylinders
Order Code	12122C/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

22W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

39,4V

Power(Watts)

19,7W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

15-21W

Power Factor

0,95

Constant Current
500mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

Yes
30-42V
IP20

No
Plastic
Kegu

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
1500lm
68,18lm/W
90
38°


Packing Info

Box Length
Box Width
Box Height
Pcs/Carton
Barcode
HS Code

14,5cm
14cm
11cm
20
5291889059370
9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes