

14 Wall & Ceiling LED>The COB LED Indoor Cylinders Aluminium

12125LA/W/W



25W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12125LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	138mm
Diameter	168mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

25W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

600mA

Voltage

40V

Power(Watts)

24W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Philips

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


16,2-25,2W

Power Factor

0,9

Constant Current	Yes
600mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic


Illumination Data

Colour Temperature	3000K
Lumen Output	2100lm
Light Efficiency	84lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	

Packing Info

Box Weight	0,93Kg
Pcs/Carton	18
Barcode	5291889044918
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes
