

# 14 Wall & Ceiling LED>The Retro Dark Light Cylinders





30W COB LED cylinder, ideal for residential and commercial illumination.

Supplied with Black & Brass reflectors.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downlo	ads		
ŝ	IES	$^{\circ}$	ςε

Dim	nens	sions



#### Gallery



#### **Physical Specification**

Item Group

14 Wall & Ceiling LED

	m	N /
га	mi	IV
		· <b>/</b>

Order Code	12130Z/B/W
Colour	Black
Material	Die Cast + Plastic
Shape	Circular
Height	125mm

Diameter	115mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

### **Electrical Characteristics**

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

## Fitting

Input Type	Constant Current
Input Current	750mA
Voltage	38V
Power(Watts)	28,5W
IP Rating	IP20

Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Gear	
Gear Type	Led Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18,75-31,5W
Power Factor	0,9
Constant Current	Yes
750mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud

## Illumination Data

Colour Temperature	3000K
Lumen Output	2400lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	12,5cm
Box Width	12,5cm

19cm
12
5291889059097
9405409900



# Certification & Warranty 2 Years Warranty 2 Years Weee Directive Yes