

14 Wall & Ceiling LED>Adjustable COB Cylinders

12208XA/W/W



2 x 8W Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Adjustable COB Cylinders
Order Code	12208XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	150mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2x8W

IP Rating

IP20

Light Source

LED built in

Dimmable

Yes

Dimmer type

Triac

F Mark



## Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

42V

Safety Class



Power(Watts)

14,7W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Citizen

LED Number

2

## Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz

Yes

60 Hz	Yes
Power(Watts)	8,75-14,7W
Power Factor	0,9
Constant Current	Yes
350mA	25-42V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	AIDimming


### Illumination Data

Colour Temperature	3000K
Lumen Output	2x640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

### Packing Info

Pcs/Carton	24
Barcode	5291889064725
HS Code	9405409900

### Energy Label



Warranty

---

3 Years

---

Weee Directive

---

Yes

---