

14 Wall & Ceiling LED>The COB Indoor Square Cylinders

12211L/W/W



2x11W COB LED Square Cylinder, with a modern design, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions





Gallery



Physical Specification	
Item Group	14 Wall & Ceiling LED
Family	The COB Indoor Square Cylinders
Order Code	12211L/W/W
Colour	White
Material	Metal
Shape	Rectangular
Length	180mm

Width	100mm
Height	107mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x11W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	2x18V
Power(Watts)	2x9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Brand

Led Driver
220-240V
Yes
Yes
7,5-12W
0,5
Yes
15-24V
IP20

No
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2x830lm
75,45lm/W
80
40°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

1,4Kg
8
5291889047292
9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes