

### 14 Wall & Ceiling LED>Dark Light Ceiling Tubes

# 12606C/B/W



15W SMD LED ceiling light IP20.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads










#### Dimensions




#### **Physical Specification**

Item Group	14 Wall & Ceiling LED
Family	Dark Light Ceiling Tubes
Order Code	12606C/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	185mm
Width	35mm
Height	84mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	20V
Power(Watts)	14W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Cree
LED Number	6
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	12-18,2W
Power Factor	0,5
Constant Current	Yes
700mA	17-26V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	45°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU
Ilumination Data	
	3000K
Colour Temperature	3000K
Colour Temperature  Lumen Output	1200lm
Colour Temperature  Lumen Output  Light Efficiency	1200lm 80lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	1200lm 80lm/W 85
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	1200lm 80lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	1200lm  80lm/W  85  25°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	1200lm 80lm/W 85
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	1200lm  80lm/W  85  25°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	1200lm  80lm/W  85  25°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	1200lm  80lm/W  85  25°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	1200lm  80lm/W  85  25°  Yes
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Pcs/Carton	1200lm 80lm/W 85 25°  Yes

## Energy Label



Certification & Warranty		

Warranty	3 Years
Weee Directive	Yes