

09 LED Strips & Profiles>24V Linkable Modules Aluminium

38005A/D



6W LED Linkable module, IP20.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions

500mm	1	
		_ 12mm

Accessories







38007A

Physical Specification

Item Group	09 LED Strips & Profiles
Family	24V Linkable Modules Aluminium
Order Code	38005A/D
Material	Aluminium
Shape	Rectangular
Length	500mm

Width	12mm	
Surface Ceiling	Yes	
Surface Wall	Yes	
Indoor	Yes	
Electrical Characteristics		
Fitting		
	Constant Voltage	
Input Type Input Voltage	Constant Voltage 24V DC	
Safety Class		
Power(Watts)	6W	
IP Rating	IP20	
Light Source	LED built in	
LED Type	SMD	
F Mark	F	
1 Wark		
Ilumination Data		
Colour Temperature	6000K	
Lumen Output	384lm	
Light Efficiency	64lm/W	
Illumination Diagram		
Packing Info		
Poc/Carton	100	
Pcs/Carton Barcodo	5201880017050	
Barcode	5291889017059	
HS Code	9405104090	

Warranty	3 Years
Weee Directive	Yes

Certification & Warranty