

### 09 LED Strips & Profiles>The LED Shelf System Aluminium + PC

38105/W



5W LED Shelf system, IP20 .

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads







### Dimensions



#### Accessories



38101A



38102B



38101C



38102C



38101D



38102A

## Physical Specification Item Group 09 LED Strips & Profiles The LED Shelf System Aluminium + PC Family Order Code 38105/W Material Aluminium Diffuser Material PC Rectangular Shape Length 500mm Width 25mm Height 9mm Surface Ceiling Yes Surface Wall Yes Indoor Yes

### **Electrical Characteristics**

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	<u> </u>
Power(Watts)	5W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Epistar
F Mark	F


### Illumination Data

Colour Temperature	3000K
Lumen Output	375lm

Light Efficiency	75lm/W
CRI	80
Beam Angle	90°
Illumination Diagram	

Packing Info	
Box Length	50cm
Box Width	3cm
Box Height	3,5cm
Box Weight	0,18Kg
Pcs/Carton	50
Barcode	5291889038795
HS Code	9405409900

# Energy Label



### Certification & Warranty

Warranty

2 Years