

## 16 Bathroom & Mirror>The Mirror LED Range

# 38114CL/C



18W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




### Downloads







Dimonoio	~ .
Dimensio	a ŀ



## Gallery



### **Physical Specification**

Product Type	Fitting
Item Group	16 Bathroom & Mirror
Family	The Mirror LED Range
Order Code	38114CL/C
Colour	Chrome
Material	Die Cast
Diffuser Material	Acrylic


Height	620mm
Diameter	42mm
Surface Wall	Yes
Indoor	Yes
lectrical Characteristics	
	D. 201
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	68V
Power(Watts)	17W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
Gear	

Circular

Shape

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	11,2-19W
Power Factor	0,9
Constant Current	Yes
250mA	45-75V
IP Rating	IP20
Safety Class	
Dimmable	No
Manufacturer	3AAA
lumination Data	
Colour Temperature	4000K
Lumen Output	1300lm
Light Efficiency	72,22lm/W
CRI	80
Illumination Diagram	
acking Info	
Box Length	64,5cm
Box Width	10,5cm
Box Height	6,5cm
Box Weight	0,980kg
Pcs/Carton	6
Barcode	5291889054580
HS Code	9405409900

# Energy Label



Certification & Warranty		

Warranty	2 Years
Wee Directive	Yes