




16 Bathroom & Mirror>The Mirror LED Round Aluminium + PC

38120C/C



20W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	16 Bathroom & Mirror
Family	The Mirror LED Round Aluminium + PC
Order Code	38120C/C
Colour	Chrome
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	600mm
Width	65mm
Height	53mm
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	ETI

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Brand

Led Driver
220-240V
Yes
Yes
15-21,5W
0,9
Yes
30-43V
IP20

No
Yingjiao

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram


4000K
1700lm
85lm/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

92cm
6cm
7,5cm
0,9kg
10
5291889046257
9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes