

12 Office & Kitchen>LED Linear Floating Light

38148N/C



48W Surface fitting ideal for installation in offices, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions		
		1200mm	
			120mm

Physical Specification

Item Group	12 Office & Kitchen
Family	LED Linear Floating Light
Order Code	38148N/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	1200mm
Width	120mm
Height	20mm
Surface Ceiling	Yes
Indoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	360mA
Voltage	120V
Power(Watts)	43,2W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835

(J	е	а	r

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	10,5-15W
Power Factor	0,9
Constant Current	Yes

Output	360mA
Voltage Range	120V
IP Rating	IP20
Safety Class	
Dimmable	No


Illumination Data

Colour Temperature	4000K
Lumen Output	4800lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	

Packing Info

Pcs/Carton	4
Barcode	5291889066323
HS Code	9405409900

Energy Label



Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes