


12 Office & Kitchen>LED Linear Profiles Large size

38160A/W/W



40W UGR19 Surface and suspended linear LED with diffuser, ideal for offices. Complete with 1000mA driver , 4pcs fixing clips & 4pcs connectors .

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Accessories



050170

Physical Specification Item Group 12 Office & Kitchen LED Linear Profiles Large size Family Order Code 38160A/W/W White Colour Aluminium Material Diffuser Material PC Shape Rectangular Length 1200mm Width 75mm Height 75mm Surface Ceiling Yes Suspended Ceiling Yes Indoor Yes

No

Electrical Characteristics

Adjustable

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Cable Length	300cm
F Mark	F

Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	38V
Power(Watts)	38W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	30-42W
Power Factor	0,9
Constant Current	Yes
1000mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	AGT
Ilumination Data	

Colour Temperature	3000K
Lumen Output	3400lm
Light Efficiency	85lm/W
CRI	90
Illumination Diagram	

Packing Info		
Pcs/Carton	12	
Barcode	5291889067993	
HS Code	9405409900	

19

UGR

Certification & Warranty	
Warranty	3 Years
Weee Directive	Yes