

12 Office & Kitchen>The LED Linear Range

38248L/W/C



48W LED fitting ideal for office installation, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	30mm 1 1200mm 120mm 120mm

Accessories



050090

Physical Specification

12 Office & Kitchen
The LED Linear Range
38248L/W/C
White
Aluminium
PC

Shape	Rectangular
Length	1200mm
Width	120mm
Height	30mm
Surface Ceiling	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Power(Watts)	46W
IP Rating	IP20

Light Source

L	E	D	b	u	il	t	i	n	

50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Safety Class	
Dimmable	No


Illumination Data

Colour Temperature	4000K
Lumen Output	4300lm
Light Efficiency	89,58lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	124cm
Box Width	13,5cm
Box Height	3,5cm
Box Weight	1,56Kg
Pcs/Carton	12
Barcode	5291889052234
HS Code	9405409900

Energy Label



Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes