

02 Recessed Spots Fixed LED>The Trimless Range

50103GT4/W



2,5W LED trimless recessed downlight, IP44. Suitable for bathroom installations.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

| | |
|------------|-----------------------------|
| Item Group | 02 Recessed Spots Fixed LED |
| Family | The Trimless Range |
| Order Code | 50103GT4/W |
| Colour | White |
| Material | Gypsum |
| Shape | Rectangular |
| Length | 120mm |

| | |
|---------------------------|-------|
| Width | 120mm |
| Height | 58mm |
| Cutout Hole Width | 121mm |
| Cutout Hole Length | 121mm |
| Recessed trimless ceiling | Yes |
| Depth Required | 70mm |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Gear | External-Included |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 2,5W |
| IP Rating | IP44 |
| Light Source | LED built in |
| Dimmable | No |

| Fitting | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 3V |
| Safety Class |  |
| Power(Watts) | 2,1W |
| IP Rating | IP44 |
| Light Source | LED built in |

LED Brand

Cree

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

1,75-2,8W

Power Factor

0,5

Constant Current

Yes

700mA

2,5-4V

IP Rating

IP20

Safety Class



Ambient Temp

50?

Operating Temp

75?

Housing Material

Plastic

Output Terminal

Connector

Brand

Eaglerise

Protection

0

Illumination Data

Colour Temperature

3000K

Lumen Output

15lm

Light Efficiency

6lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

Packing Info

Box Weight

0,751kg

Pcs/Carton

24


Barcode

5291889043089

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes