

03 Recessed Spots Adjustable>The Dual Ring Range Aluminium Square

51105AB/AL



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Aluminium Square
Order Code	51105AB/AL
Colour	Aluminium
Material	Aluminium
Shape	Rectangular
Length	94mm
Width	94mm
Height	30mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	75mm

Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Fitting	
Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm
III. and an effect of the second	
Illumination Data	
Illumination Diagram	
Packing Info	
Box Length	12,5cm
Box Width	5cm
Box Height	10cm
Box Weight	0,155kg
Pcs/Carton	50
Barcode	5291889005001
HS Code	9405409900

Warranty	5 Years
Weee Directive	Yes

Certification & Warranty