

03 Recessed Spots Adjustable>The Lock Ring Dark Light

51105CD/MC



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.



| Downloads | Dimensions |
|-----------|---------------------|
| °O CE | 95mm 95mm 95mm 45mm |

Gallery



Physical Specification

Item Group

03 Recessed Spots Adjustable

| Family | The Lock Ring Dark Light |
|------------|--------------------------|
| Order Code | 51105CD/MC |
| Colour | Brushed Chrome |
| Material | Die Cast |
| Shape | Circular |
| Height | 45mm |

| Diameter | 94mm |
|----------------------|-------------|
| Cutout Hole Diameter | 85mm |
| Recessed Ceiling | Yes |
| Depth Required | 100mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics

| Fitting | |
|-----------------|------------------|
| Input Type | Constant Voltage |
| Input Voltage | 12V AC/DC |
| Safety Class | |
| Power(Watts) | 50W |
| IP Rating | IP20 |
| Light Source | Replaceable lamp |
| Lamp Holder | GU5.3 |
| Number of Lamps | 1 |
| Cable Length | 40cm |

Illumination Data

| Illumination Diagram | |
|----------------------|-----|
| Dark Light | Yes |

| 10cm |
|---------|
| 10cm |
| 5cm |
| 0,113kg |
| 50 |
| |

| Barcode |
|---------|
|---------|

HS Code

5291889029014

9405409900

Energy Label



Certification & Warranty

| Warranty | 5 Years |
|----------------|---------|
| Weee Directive | Yes |