

04 Recessed Spots Adjustable LED>The COB Shop & Hotel Range

51112E/W/EW



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.

















Downloads










Dimensions



Gallery





Must be ordered separately



89015A

Related items



89015AT

Physical Specification

| Item Group | 04 Recessed Spots Adjustable LED |
|--------------------|----------------------------------|
| Family | The COB Shop & Hotel Range |
| Order Code | 51112E/W/EW |
| Colour | White |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 100mm |
| Width | 100mm |
| Height | 82mm |
| Cutout Hole Width | 90mm |
| Cutout Hole Length | 90mm |
| Recessed Ceiling | Yes |
| Depth Required | 105mm |
| Indoor | Yes |
| Adjustable | 2 Directions |
| | |

Electrical Characteristics

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 700mA |
| Safety Class | <u> </u> |
| Power(Watts) | 12W |
| IP Rating | IP20 |

| Light Source | LED built in |
|--------------|--------------|
| LED Type | СОВ |
| LED Brand | Epistar |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark | F |
| | |

| Illumination Data | | |
|----------------------|-----------|--|
| Colour Temperature | 2700K | |
| Lumen Output | 1100lm | |
| Light Efficiency | 91,67lm/W | |
| CRI | 80 | |
| Beam Angle | 40° | |
| Illumination Diagram | | |
| Dark Light | Yes | |

| Packing Info | |
|--------------|---------------|
| Box Length | 10,5cm |
| Box Width | 10,5cm |
| Box Height | 10,5cm |
| Box Weight | 0,322Kg |
| Pcs/Carton | 50 |
| Barcode | 5291889048008 |
| HS Code | 9405409900 |

| Warranty | 5 Years |
|----------------|---------|
| Weee Directive | Yes |

Certification & Warranty