

08 Downlights Adjustable LED>The COB Semi Trimless Square

51115TR/W/W



15W COB LED Recessed Adjustable downlight, semi trimless, IP20.

Complete 500mA driver.


Complies with standard EN60598-1 and any other specific standards




Downloads



Dimensions



Gallery





Physical Specification

Item Group	08 Downlights Adjustable LED
Family	The COB Semi Trimless Square
Order Code	51115TR/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	105mm

Width	105mm
Height	90mm
Cutout Hole Width	95mm
Cutout Hole Length	95mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	29V
Safety Class	
Power(Watts)	14,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand
LED Number
F Mark

Bridgelux
1


Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand
Protection

Led Driver
220-240V
Yes
Yes
8,5-16W
0,9
Yes
19-32V
IP20

No
Plastic
Connector
0
0

Illumination Data


Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
1000lm
66,67lm/W
80
36°


Packing Info

Box Weight	0,47Kg
Pcs/Carton	27
Barcode	5291889044666
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	3 Years
----------	---------