

04 Recessed Spots Adjustable LED>The 1W Mini Square Natural Aluminium 51201AL/D/35



2x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Gallery





Must be ordered separately





89004

89004T

Physical Specification

| Item Group | 04 Recessed Spots Adjustable LED |
|--------------------|--------------------------------------|
| Family | The 1W Mini Square Natural Aluminium |
| Order Code | 51201AL/D/35 |
| Colour | Aluminium |
| Material | Natural Aluminium |
| Diffuser Material | Acrylic |
| Shape | Rectangular |
| Length | 113mm |
| Width | 60mm |
| Height | 30mm |
| Cutout Hole Width | 105mm |
| Cutout Hole Length | 53mm |
| Recessed Ceiling | Yes |
| Depth Required | 40mm |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics


| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class | |
| Power(Watts) | 2W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 2 |
| Cable Length | 40cm |
| F Mark | F |

Colour Temperature Lumen Output Light Efficiency Beam Angle Illumination Diagram Packing Info Pcs/Carton Barcode 6000K 600m/W 60lm/W 60lm/W 50 60lm/W 60

9405409900

Energy Label

HS Code



Certification & Warranty

| Warranty | 2 Years |
|----------------|---------|
| Weee Directive | Yes |