

04 Recessed Spots Adjustable LED > The 1W Mini Square Natural Aluminium **51301AL/W/15**



3x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004



89004T

Physical Specification

| | |
|--------------------|--------------------------------------|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The 1W Mini Square Natural Aluminium |
| Order Code | 51301AL/W/15 |
| Colour | Aluminium |
| Material | Natural Aluminium |
| Diffuser Material | Acrylic |
| Shape | Rectangular |
| Length | 165mm |
| Width | 60mm |
| Height | 30mm |
| Cutout Hole Width | 155mm |
| Cutout Hole Length | 53mm |
| Recessed Ceiling | Yes |
| Depth Required | 40mm |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 3 |
| Cable Length | 40cm |
| F Mark |  |


Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 3x45lm |
| Light Efficiency | 45lm/W |
| Beam Angle | 15° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 50 |
| Barcode | 5291889005476 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

| | |
|----------------|---------|
| Warranty | 2 Years |
| Weee Directive | Yes |