

15 Plafo>The LED Plafo Range

62026B/W



24W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions




Physical Specification

Item Group	15 Plafo
Family	The LED Plafo Range
Order Code	62026B/W
Colour	White
Material	Metal
Diffuser Material	Plastic
Shape	Circular
Height	65mm
Diameter	390mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	135mA
Voltage	170V
Power(Watts)	23W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	21-23,8W

Power Factor	0,9
Constant Current	Yes
Output	140mA
Voltage Range	150-170v
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Illumination Data	
Illumination Data	
Illumination Data Colour Temperature	3000K
	3000K 1700lm
Colour Temperature	
Colour Temperature Lumen Output	1700lm
Colour Temperature Lumen Output Light Efficiency	1700lm
Colour Temperature Lumen Output Light Efficiency Illumination Diagram	1700lm
Colour Temperature Lumen Output Light Efficiency	1700lm
Colour Temperature Lumen Output Light Efficiency Illumination Diagram	1700lm
Colour Temperature Lumen Output Light Efficiency Illumination Diagram Packing Info	1700lm 70,83lm/W
Colour Temperature Lumen Output Light Efficiency Illumination Diagram Packing Info Pcs/Carton	1700lm 70,83lm/W 5

Energy Label



Warranty	2 Years
Weee Directive	Yes

Certification & Warranty