

15 Plafo>The LED Panel Plafo Square

62122F/B/W



22W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                 |                            |
|-----------------|----------------------------|
| Item Group      | 15 Plafo                   |
| Family          | The LED Panel Plafo Square |
| Order Code      | 62122F/B/W                 |
| Colour          | Black                      |
| Material        | Die Cast                   |
| Shape           | Rectangular                |
| Length          | 220mm                      |
| Width           | 220mm                      |
| Height          | 39mm                       |
| Surface Ceiling | Yes                        |
| Indoor          | Yes                        |
| Adjustable      | No                         |

| Gear             |  | External-Included                                                                     |  |
|------------------|--|---------------------------------------------------------------------------------------|--|
| Fitting + Driver |  |                                                                                       |  |
| Input Voltage    |  | 220-240V                                                                              |  |
| 50 Hz            |  | Yes                                                                                   |  |
| 60 Hz            |  | Yes                                                                                   |  |
| Safety Class     |  |    |  |
| Power(Watts)     |  | 22W                                                                                   |  |
| IP Rating        |  | IP40                                                                                  |  |
| Light Source     |  | LED built in                                                                          |  |
| Dimmable         |  | No                                                                                    |  |
| F Mark           |  |  |  |
| Fitting          |  |                                                                                       |  |
| Input Type       |  | Constant Current                                                                      |  |
| Input Current    |  | 700mA                                                                                 |  |
| Voltage          |  | 28V                                                                                   |  |
| Safety Class     |  |  |  |
| Power(Watts)     |  | 18,2W                                                                                 |  |
| IP Rating        |  | IP40                                                                                  |  |
| Light Source     |  | LED built in                                                                          |  |
| LED Type         |  | SMD 2016                                                                              |  |
| LED Brand        |  | Sanan                                                                                 |  |
| F Mark           |  |  |  |
| Gear             |  |                                                                                       |  |
| Gear Type        |  | Led Driver                                                                            |  |
| Input Voltage    |  | 220-240V                                                                              |  |
| 50 Hz            |  | Yes                                                                                   |  |
| 60 Hz            |  | Yes                                                                                   |  |

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Power(Watts)     | 12,6-21W                                                                            |
| Power Factor     | 0,9                                                                                 |
| Constant Current | Yes                                                                                 |
| 700mA            | 18-30V                                                                              |
| IP Rating        | IP20                                                                                |
| Safety Class     |  |
| Dimmable         | No                                                                                  |
| Ambient Temp     | 45°C                                                                                |
| Operating Temp   | 80°C                                                                                |
| Housing Material | Plastic                                                                             |
| Output Terminal  | Cable                                                                               |
| Manufacturer     | Eaglerise                                                                           |


Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 1490lm                                                                                |
| Light Efficiency     | 67,72lm/W                                                                             |
| CRI                  | 80                                                                                    |
| Illumination Diagram |  |

Packing Info

|            |               |
|------------|---------------|
| Box Length | 23,5cm        |
| Box Width  | 22cm          |
| Box Height | 4,5cm         |
| Box Weight | 1,4kg         |
| Pcs/Carton | 10            |
| Barcode    | 5291889060307 |
| HS Code    | 9405409900    |

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes