

15 Plafo>The LED Project Plafo Metal

62125D/W/W



25W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Project Plafo Metal
Order Code	62125D/W/W
Colour	White
Material	Metal
Shape	Circular
Height	106mm
Diameter	400mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Input Current Voltage	700mA 40V
Voltage	40V
Voltage Power(Watts)	40V 28W
Voltage Power(Watts) IP Rating	40V 28W IP20
Voltage Power(Watts) IP Rating Light Source	40V 28W IP20 LED built in
Voltage Power(Watts) IP Rating Light Source LED Type	40V 28W IP20 LED built in SMD 2835
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand	28W IP20 LED built in SMD 2835 Bridgelux
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand LED Number	40V 28W IP20 LED built in SMD 2835 Bridgelux 50
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand LED Number	40V 28W IP20 LED built in SMD 2835 Bridgelux 50
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand LED Number F Mark	40V 28W IP20 LED built in SMD 2835 Bridgelux 50
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand LED Number F Mark	40V 28W IP20 LED built in SMD 2835 Bridgelux 50
Voltage Power(Watts) IP Rating Light Source LED Type LED Brand LED Number F Mark Gear Gear Type	40V 28W IP20 LED built in SMD 2835 Bridgelux 50 F

Power(Watts)	19-30W
Power Factor	0,9
Constant Current	Yes
700mA	30-44V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU
Ilumination Data	
Colour Temperature	3000K
Lumen Output	2125lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	
Packing Info	
Box Weight	2,6Kg
Pcs/Carton	1
Barcode	5291889046745
HS Code	9405409900

Warranty	3 Years
Weee Directive	Yes

Certification & Warranty