



15 Plafo>The LED Panel Plafo Round

62130F/W/C



30W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads








Dimensions




Physical Specification

Item Group	15 Plafo
Family	The LED Panel Plafo Round
Order Code	62130F/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	39mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear		External-Included	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		30W	
IP Rating		IP40	
Light Source		LED built in	
Dimmable		No	
F Mark			
Fitting			
Input Type		Constant Current	
Input Current		1000mA	
Voltage		28V	
Safety Class			
Power(Watts)		28W	
IP Rating		IP40	
Light Source		LED built in	
LED Type		SMD 2016	
LED Brand		Sanan	
F Mark			
Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	

Power(Watts)	18-28W
Power Factor	0,9
Constant Current	Yes
1000mA	18-28V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU

Illumination Data

Colour Temperature	4000K
Lumen Output	1997lm
Light Efficiency	65,56lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	32cm
Box Width	31,5cm
Box Height	4,5cm
Box Weight	1,7kg
Pcs/Carton	10
Barcode	5291889039198
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes