

15 Plafo>Decorative Plafo

62135NA/W/W



35W LED Decorative Plafo, IP20, suitable for residential and commercial application.


Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.





Dimensions



Gallery



Physical Specification

Item Group

15 Plafo

	••	
\mathbf{n}		\ /
m		v
 		y

Decorative Plafo

Order Code	62135NA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	450mm

450mm
125mm
Yes
Yes
No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Safety Class Power(Watts) IP Rating Light Source Dimmable	Joint JP20 LED built in

	٠		٠		
		++		5	\sim
F	I		I		(1
					9

Input Type	Constant Current
Input Current	700mA
Voltage	48V
Power(Watts)	33,6W

IP Rating	IP40
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	F
LED Brand	Epistar


Gear


Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	14-37,8W
Power Factor	0,9
Constant Current	Yes
700mA	20-54V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	2100lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Box Weight	4,3Kg
Pcs/Carton	1
Barcode	5291889046783
HS Code	9405409900





Certification & Warranty

Warranty	3 Years
Weee Directive	Yes